

A photograph showcasing a variety of wood products. On the left, there are several stacks of finished wood: a stack of thin planks, a stack of thicker planks, and a stack of wide, flat boards. In the center, a large, thick wooden beam is prominently displayed. To the right, a large stack of raw logs is visible, showing their natural bark and grain. The text 'Edelweiss Ltd.' is written in a large, white, sans-serif font across the middle of the image, with 'wood products' written in a smaller, white, sans-serif font directly below it.

Edelweiss Ltd.  
wood products



ООО «Эдельвейс»  
660061, г. Красноярск, ул. Калинина, д. 53а, офис 304  
тел.: 8-923-290-11-09, эл. почта: prof@edelweis24.ru  
ИНН 2463098928 КПП 246301001 ОГРН 1162468050337

---

- We represent a group of companies that produces and exports lumber from Russia.
- We have three main branches. The first is Krasnoyarsk, Russia, where we cut and process larch and collect barn boards. The second is Maykop, Russia, where we cut and process oak and acacia, including making acacia stakes for vineyards. And the third is Varna, Bulgaria, the activities of this department consist of pine cutting and processing, and here we also organize the import of products from Russia into the territory of the European Union.
- The main range of our products is edged and unedged lumber from the listed species of wood, natural humidity or after atmospheric or chamber drying. We also offer finished products, such as terrace boards, deck boards and other types of products.

# Siberian Larch



- Dry edged lumber  
Breed - Siberian Larch  
Humidity - transport KD 18-20%  
GOST 26002-83, grade 0-4
- Ideal geometry, circular cut, straight cut, without bending, fresh wood without rot, cracks, wormholes, fast shipment.
- Sizes according to customer specifications, lengths from 3000 to 6000 mm.

# Acacia

- Unedged and edged lumber of acacia natural humidity, 1-3 grades.
- Production on customer specifications.



# Acacia



- Stakes peeled or rectangular cross-section.
- Sizes according to customer specifications.

# Pine



- Edged lumber  
Humidity - 16-20%, chamber drying  
Ideal geometry, without rot, waves,  
from fresh raw materials.  
Grade 1-2.  
Dimensions: length 2-6 m., Thickness  
15 -150 mm, width 40-300 mm.
- Rounded stakes of coniferous wood  
impregnated at the request of the  
customer (impregnation and dipping)  
with an antiseptic (Tanalith, Tanalith +  
coller, and Elemsept).

# Oak



- Unedged boards  
Humidity - 7-9%, chamber drying.  
Grade A-C.  
Ideal geometry, without rot, waves, from fresh raw materials.  
Production on customer specifications.  
Dimensions: length 2-3 m., thickness 30-50 mm, width 100-300 mm.

# Contacts

Edelweiss Ltd., Russia, Krasnoyarsk

Victor Petrov

+7 923 290 1109

+359 889 80 97 67

[pvm79@mail.ru](mailto:pvm79@mail.ru)

Representative in Europe

New Sugar Ltd., Bulgaria, Varna

Igor Kovalev

+359 889 96 56 77

[kigor9@mail.ru](mailto:kigor9@mail.ru)