


FENIK'S CAR COSMETICS



CAR COSMETICS

PRODUCT CATALOG

HOT EAR WAX

QUICK DETAILER

QUICK WAX TO SHINE THE CAR AND PAINTED SURFACES.

Quick wax for car shining. Convenient and easy to use, no diluting required. Shines, maintains and deepens the colour. Refreshes previously applied wax layers and forms an additional hydrophobic coat on the surface to protect against harmful external factors. Does not leave smudges or deposits. Is safe for car bodies and painted surfaces. Ready-to-use product.



Net volume:
1L / 5L



Use instructions and dosing:

Shake before use. Clean the surface before applying the product. Spray the product onto clean car paint and then rub it in thoroughly with a circular motion using a soft cloth. Polish with a soft cloth until you achieve a uniform shine effect. Do not use the wax on parts of the car that are hot or very dirty.

Ingredients: ~5% Anionic surfactants; preservation agents (Methylisothiazolinone, Benzisothiazolinone), and perfumes. Keep in a dry, cool place, at temperatures from 5°C to 30°C. Avoid direct sunlight and low temperatures. Protect against frost. Shake before use. Date of production and batch number – see the packaging. Shelf life: 24 months from the date of production.



SUNRISE CHERRY WAX

CAR WAX

STRONGLY CONCENTRATED WAX WITH VERY GOOD DRYING AND PROTECTIVE PROPERTIES.

Intended for all kinds of paint and high gloss surfaces. Extremely advanced technology for a phenomenal visual effect. Thanks to the perfect components, the drying effect is instantaneous, and the painted surface becomes shiny and receives additional protection in the form of a hydrophobic layer protecting it against weather conditions. Free from mineral oils. Does not leave white smudges after drying.



Net volume:
1L / 5L



CAR COSMETICS



Use instructions and dosing:

Apply the prepared solution of the product directly on the vehicle from bottom to top, immediately after washing it, while the car surface is still wet. Rinse off with a jet of water under pressure. Use in the form of an aqueous solution, adjust the dosing to the expected hydrophobic properties: 1:500 to 1:1000 * Apply the wax on clean, still wet paint of the car. Product for professional use. Wear personal protective equipment when using the product. Before using the product, read the label and material safety data sheet of the product.

Ingredients: 5-15% Cationic surfactants; <5% Non-ionic surfactants; <5% Anionic surfactants; and preservation agents (Methylisothiazolinone, Benzisothiazolinone), perfumes (Amyl Cinnamal, Cinnamyl Alcohol, Eugenol, Limonene). Keep in a dry, cool place, at temperatures from 10°C to 30°C. Avoid direct sunlight and low temperatures. Protect against frost. The product may become sticky and cloudy if kept at low temperatures, making it more difficult to apply. Date of production and batch number-see the packaging. Shelf life: 36 months from the date of production.



www.fenikschemia.pl

CRAZY WASH

PRE- WASH & WASH

ALKALINE PRODUCT FOR PRE-WASHING AND WASHING WITH HIGH WASHING DYNAMICS AND ENHANCED SOLVENT PROPERTIES.

Product intended for touchless car washes and washing with pressure washers. It effectively removes all kinds of road dirt.



Net volume:
1L / 5L



CAR COSMETICS



Use instructions and recommended dosing: Apply the prepared solution of the product directly on the vehicle from bottom to top. Leave for approximately 1 minute or longer in case of more severe dirt and rinse with a jet of water under pressure. Do not leave to dry. Use in the form of an aqueous solution, adjusting the dosing to the severity of dirt accumulation on the surface:- spraying: 1:10 to 1:80 - car washes: 1% to 2.5% Product for professional use. Caution! Do not apply the product on very hot surfaces exposed to the sun and do not leave it to dry. Wear personal protective equipment when using the product. Before using the product, read the label and material safety data sheet of the product.

Ingredients: 5-15% Anionic surfactants; <5% Non ionic surfactants; <5% Phosphonates and perfumes (Hexyl Cinnamal). Keep in a dry, cool place, at temperatures from 5°C to 30°C. Keep away from direct sunlight. Protect against frost. Date of production and batch number-see the packaging. Shelf life: 36 months from the date of production.



www.fenikschemia.pl

KING SHAMPOO

CAR SHAMPOO

CONCENTRATED, STRONG FOAMING PRODUCT FOR THE MECHANICAL WASHING OF CARS.

The product effectively removes road grime and dirt and is safe for all kinds of paint, chrome plated, nickel and rubber components and plastic surfaces. KING SHAMPOO creates a rich, thick and long lasting foam and has an attractive, enduring, fruity fragrance. The product does not leave smudges and is very easy to rinse. Thanks to the high concentration of ingredients, it enables effective washing at lower concentrations, which means that it will last a long time. Product for professional use.



Net volume:
1L / 5L



CAR COSMETICS



Use instructions and recommended dosing: Foam generator: dilution rate 1:4 to 1:8 Spraying: dilution rate 1:50 to 1:100 Touchless car washes: dilution rate from 0.5% to 1.5% Wash off the outermost layer of dirt from the vehicle and evenly spray with foam from the bottom to the top. Leave for approximately 1 minute or longer in case of more severe dirt and rinse the foam off thoroughly with a jet of water under pressure. Caution! Do not apply the product on very hot surfaces exposed to the sun and do not leave it to dry. Wear personal protective equipment when using the product. Before using the product, read the label and material safety data sheet of the product.

Ingredients: 15 -<30% Anionic surfactants; <5% Non-ionic surfactants; and perfumes, preservation agents (Benzisothiazolinone, Methylisothiazolinone). Keep in a dry, cool place, at temperatures from 5°C to 30°C. Keep away from direct sunlight. Protect against frost. Date of production and batch number see the packaging. Shelf life: 36 months from the date of production.



www.fenikschemia.pl

PERFECT FOAM

ACTIVE FOAM

HIGH FOAMING, ALKALINE AND VERY EFFICIENT ACTIVE FOAM FOR MANUAL WASHING WITH A STRONG, PLEASANT AROMA.

Intended for car body washing with a sponge, glove or brush at manual car washes.



Net volume:
1L / 5L



Use instructions and dosing:

Apply the prepared solution of the product directly on the vehicle from bottom to top. Wash the vehicle with a brush or sponge and rinse with a jet of water under pressure. Use in the form of an aqueous solution, adjusting the dosing to the severity of dirt accumulation on the surface: - spraying: 1:20 to 1:100 - manual washing: 1:100 to 1:250 Product for professional use. Caution! Do not apply the product on very hot surfaces exposed to the sun and do not leave it to dry. Wear personal protective equipment when using the product. Before using the product, read the label and material safety data sheet of the product.

Ingredients: 5-15% Anionic surfactants; and perfumes. Keep in a dry, cool place, at temperatures from 5°C to 30°C. Keep away from direct sunlight. Protect against frost. Date of production and batch number-see the packaging. Shelf life: 36 months from the date of production.



BLACK INK

TIRE DRESSING

PRODUCT FOR THE MAINTENANCE OF TYRES AND OTHER RUBBER PARTS AND FOR THE PROTECTION OF PLASTIC COMPONENTS OF VEHICLE EXTERIORS EXPOSED TO WEATHER CONDITIONS.

Ensures the perfect appearance of rubber and plastic parts. Perfect for tyre blacking. Refreshes the colour, leaves a shiny finish and creates the "wet tyre" effect. Has hydrophobic and antistatic properties, protecting the exterior parts of the vehicle from water penetration and deposition of dust. It is virtually odourless for easier handling. Ready-to-use product.



Net volume:
1L



Use instructions and recommended dosing:

Apply the product onto a sponge and evenly distribute the liquid all over the surface to be cleaned until you obtain a uniform colour. Leave for a while until the surface is completely dry. Wipe with a microfibre cloth where necessary. Apply the product only on clean and dry surfaces. * Do not apply the product on surfaces that should not be smooth and slippery, e.g., pedals, steering wheel, tyre treads. Product for professional use. Wear personal protective equipment when using the product. Before using the product, read the label and material safety data sheet of the product.

Ingredients: >30% Aliphatic hydrocarbons. Keep in a dry, well ventilated place, at temperatures from 5°C to 30°C. Avoid direct sunlight and high temperatures. Date of production and batch number - see the packaging. Shelf life: 36 months from the date of production.

BLACK INK

TIRE DRESSING

PRODUCT FOR THE MAINTENANCE OF TYRES AND OTHER RUBBER PARTS AND FOR THE PROTECTION OF PLASTIC COMPONENTS OF VEHICLE EXTERIORS EXPOSED TO WEATHER CONDITIONS.

Water-soluble product. Maintains rubber parts and protects them from excessive dryness and cracking. Forms a thin protective layer on the surface. Suitable for tyre blacking. Refreshes the colour and leaves a gentle, satin shine. Does not contain solvents. Does not leave a greasy layer after drying and does not damage the polished surfaces.



Net volume:
1L / 5L

CAR COSMETICS



Use instructions and recommended dosing:

Dilute the product with water using a nebuliser or mixer at a 1:5 ratio. Apply on a clean surface and leave to dry. Where necessary, wipe off with a microfibre cloth. * Do not apply the product on surfaces that should not be smooth and slippery, e.g., pedals, steering wheel, tyre treads. Product for professional use. Wear personal protective equipment when using the product. Before using the product, read the label and material safety data sheet of the product.

Ingredients: <5% Non-ionic surfactants and preservation agents (Benzisothiazolinone, Methylisothiazolinone, 2-bromo-2-nitropropane-1,3-diol, Octylisothiazolinone). Keep in a cool place, at temperatures from 5°C to 30°C. Avoid direct sunlight and high temperatures. Date of production and batch number – see the packaging. Shelf life: 36 months from the date of production.



www.fenikschemia.pl

HARD WHEEL

RIM CLEANER

PRODUCT FOR CLEANING ALL KINDS OF CAR RIMS.

It effectively dissolves and removes all types of dirt from rims accumulating during regular use, e.g., mud, oil, lubricants, grease, etc. Shines the rim. Does not contain any acids and is safe for aluminium, polished, chrome plated, painted and steel rims. Ready-to-use product, no diluting required.



Net volume:
1L / 5L



Use instructions and dosing:

1. Thoroughly spray the rim with the HARD WHEEL liquid. 2. Leave for approximately 2-3 minutes. 3. Use a sponge, wheel brush or regular brush for large patches of severe dirt and hard to reach areas. 4. Rinse off with water under pressure. For a better final effect, wipe the rim with a soft microfibre cloth. Do not leave to dry on the cleaned surface. Product for professional use. Caution! Do not apply the product on hot surfaces exposed to the sun and do not leave it to dry. Wear personal protective equipment when using the product. Before using the product, read the label and material safety data sheet of the product.

Ingredients: <5% Non-ionic surfactants; <5% Anionic surfactants; <5% Amphoteric surfactants; <5% EDTA and salts thereof and preservation agents (Benzisothiazolinone, Methylisothiazolinone), perfumes (Hexyl Cinnamal). Keep in a dry, cool place, at temperatures from 5°C to 30°C. Keep away from direct sunlight. Protect against frost. Date of production and batch number-see the packaging. Shelf life: 24 months from the date of production.



GLASS

AF

GLASS CLEANER

LIQUID FOR WASHING WINDSCREENS, HEADLAMPS, MIRRORS AND OTHER GLASS OR CERAMIC SURFACES.

Effectively removes dirt. Cleans and prevents fogging on glass surfaces. Reduces water vapour accumulation thanks to a special polymer, and the cleaned surface remains clean for longer. Provides a crystal shine. Dries quickly, without leaving smudges or streaks. Has a refreshing, citrus fragrance. Ready-to-use product, no diluting required.



Net volume:
1L / 5L



Use instructions:

Spray on the surface to be cleaned and then wipe it with a clean, dry, dust-free cloth. Repeat the action in case of large patches of dried up dirt.

Ingredients: <5% Anionic surfactants; and perfumes, preservation agents (Benzisothiazolinone, Methylisothiazolinone). Keep in a dry, cool place, at temperatures from 5°C to 30°C. Protect against frost and direct sunlight. Shelf life: 24 months from the date of production placed on the packaging. Batch number-see packaging.



APCE

GENERAL CLEANER

ALL-PURPOSE CLEANER

Liquid for general cleaning of all elements inside the car: cockpit, plastic, plastics, etc. **READY-TO-USE PRODUCT.** Properties: Effectively removes dust, dirt and eliminates unpleasant odours. Does not leave streaks and stains. It prevents dirt and dust from settling again, which protects the interior elements for longer dust, dirt and everyday dirt. Refreshes and leaves a pleasant fragrance. Ready-to-use product, no diluting required.



Net volume:
1L / 5L



Use instructions and dosing:

Spray the product directly on the surface to be cleaned or apply with a cloth. Spread evenly, then wipe dry with a clean, soft and lint-free cloth. Repeat as necessary.

Ingredients: <5% Anionic surfactants; <5% Non-ionic surfactants and preservation agents (Methylisothiazolinone, Benzisothiazolinone), perfumes (Linalool, Limonene). Keep in a dry, cool place, at temperatures from 5°C to 30°C. Avoid direct sunlight and low temperatures. Protect against frost. Date of production and batch number – see the packaging. Shelf life: 24 months from the date of production.

TEXTXTIL

UPHOLSTERY CLEANING

PRODUCT INTENDED FOR CLEANING TEXTILE FABRIC SURFACES: CAR UPHOLSTERY, HEADLINER, CARPETS, FLOOR COVERING AND UPHOLSTERED FURNITURE.

Effectively removes stains and dirt. Dissolves dirt, deeply penetrating into the fibres of the fabric. Safe on the colours, does not contain any optical bleaches. Eliminates unpleasant odours. Refreshes the colours and leaves a pleasant fragrance. Quick and easy to use. Use instructions and dosing: Thoroughly dust off the surface to be cleaned. Spray the product directly on the surface to be cleaned or apply it on a sponge and clean the surface. Leave for a few minutes. Wipe off any excess liquid and dry the surface with a clean, dry microfibre cloth. Ready-to-use product, no diluting required.



Net volume:
1L



Use instructions and dosing:

Thoroughly dust off the surface to be cleaned. Spray the product directly on the surface to be cleaned or apply it on a sponge and clean the surface. Leave for a few minutes. Wipe off any excess liquid and dry the surface with a clean, dry microfibre cloth. Use a soft brush to remove severe dirt. Gently dust off the surface to be cleaned after drying. *Caution! Before the first use of the product, test it in an unnoticeable place. Before using the product, read the label and material safety data sheet of the product.

Ingredients: <5% Anionic surfactants; <5% Non-ionic surfactants; <5% Phosphonates and preservation agents (Methylisothiazolinone, Benzisothiazolinone), perfumes. Keep in a dry, cool place, at temperatures from 5°C to 30°C. Avoid direct sunlight and low temperatures. Protect against frost. Date of production and batch number-see the packaging. Shelf life: 24 months from the date of production.



TEXXXTIL

UPHOLSTERY CLEANING

LOW-FOAMING CONCENTRATE FOR UPHOLSTERY WASHING AND CLEANING.

Product intended for extraction cleaning of textile surfaces: car upholstery, carpets, floor covering and upholstered furniture. Properties: Concentrated product for the thorough cleaning and washing of textile surfaces using the extraction method with vacuum cleaners or washing machines. It can also be used at home for hand washing. Low foaming. Effectively removes dirt. Dissolves dirt, deeply penetrating into the fibres of the fabric. Safe to the colours, does not contain any optical bleaches. Neutralises unpleasant odours and refreshes the colours. Has a fresh smell. Requires dilution.



Net volume:
1L / 5L



CAR COSMETICS



Use instructions and dosing:

1. Thoroughly dust off the surface to be cleaned. 2. Dilute the TEXXXTIL. Concentrate product before use. Adjust the dosing and concentration of the working solution to the type and severity of dirt. Recommended dilution rate: 1:5 to 1:10. 3. Fill the tank of the washing device with a solution of the product and spread it thoroughly over the surface to be cleaned, moving it over parallel, overlapping strips. Leave for approximately 5-10 min. 4. After cleaning, thoroughly vacuum off the remaining solution together with the dissolved dirt. Straighten the clean, wet pile of the carpet. During hand washing, rinse off the surface with clean water after using the product. 5. Gently dust off the surface to be cleaned after drying. * Before the first use of the product and when using higher concentrations, test it in an unnoticeable place first. Before using the product, read the label and material safety data sheet of the product.

Ingredients: <5% Anionic surfactants; <5% Non-ionic surfactants; <5% EDTA and salts thereof and preservation agents (Benzisothiazolinone, Methylisothiazolinone), perfumes (Linalool). Keep in a dry, cool place, at temperatures from 5°C to 30°C. Avoid direct sunlight and low temperatures. Protect against frost. Date of production and batch number-see the packaging. Shelf life: 24 months from the date of production.



www.fenikschemia.pl

COCONUT & VANILLA INTERIOR DRESSING

INTERIOR DRESSING

CREAM FOR CLEANING AND MAINTAINING CAR COCKPITS AND OTHER PLASTIC, RUBBER AND VINYL PARTS INSIDE THE VEHICLES.

Thanks to its antistatic properties, it prevents the deposition of dust and dirt, protecting the plastic parts of the interior against dust, grime and everyday dirt for longer. Cleans, maintains and shines. Refreshes the colour and restores the natural appearance of the plastic parts of the dashboard and upholstery, rubber seals and vinyl accessories. Refreshes and leaves a pleasant fragrance. Ready-to-use product.



Net volume:
1L / 5L



Use instructions and dosing:

Shake before use. Apply a small amount of the product on a soft microfibre cloth and spread it vigorously all over the surface to be cleaned. Wipe dry with a dust-free wiper or cloth, preferably made of microfibre. Repeat as necessary.

Ingredients: <5% Non-ionic surfactants; <5% Anionic surfactants; preservation agents (Methylisothiazolinone, Benzisothiazolinone) and perfumes (Limonene). Keep in a dry, cool place, at temperatures from 5°C to 30°C. Avoid direct sunlight and low temperatures. Protect against frost. The product may become sticky if kept at low temperatures, making it more difficult to apply. Shake before use. Date of production and batch number – see the packaging. Shelf life: 24 months from the date of production.

COOL LEATHER

LEATHER QUICK DETAILER

A PRODUCT FOR THE EVERYDAY MAINTENANCE OF LEATHER UPHOLSTERY AND OTHER PARTS MADE OF NATURAL AND FAUX LEATHER.

READY-TO-USE PRODUCT. Properties: Has antistatic properties. Cleans, maintains and refreshes the colour. Gives the leather a natural, satin finish. Can be used with any leather colour. Contains ingredients that moisturise the leather to protect it from cracking. Refreshes and leaves a gentle fragrance of NATURAL LEATHER.



Net volume:
1L



CAR COSMETICS



Use instructions and dosing:

Shake before use. Apply a small amount of the product on a soft microfibre cloth and spread it thoroughly with a circular motion all over the surface to be cleaned. Wipe dry with a dust-free wiper or cloth, preferably made of microfibre. Repeat as necessary.

Ingredients: <5% Anionic surfactants; preservation agents (Methylisothiazolinone, Benzisothiazolinone, 2-bromo-2-nitropropane-1,3-diol, Octylisothiazolinone) and perfumes (Benzyl Benzoate). Keep in a dry, cool place, at temperatures from 5°C to 30°C. Avoid direct sunlight and low temperatures. Protect against frost. Shake before use. Date of production and batch number – see the packaging. Shelf life: 24 months from the date of production.



www.fenikschemia.pl

INSECT DYNAMITE

ANTYINSECT

A VERY EFFECTIVE PRODUCT FOR REMOVING RESIDUES OF INSECTS FROM WINDSCREENS, MIRRORS, HEADLAMPS AND BUMPERS OF CARS AND MOTORCYCLES.

Thanks to its innovative composition, it is also perfect for removing dirt from rims and deposits from brake blocks. It effectively removes even the most difficult insect remains and tree sap stains. It is safe for car paint and plastic parts. Ready-to-use product, no diluting required.



Net volume:
1L / 5L



CAR COSMETICS



Use instructions and dosing: Spray the liquid on the surface to be cleaned, leave for 1-2 minutes and rinse off with a jet of water. Do not leave to dry on the cleaned surface. Use a sponge or soft cloth to remove more severe dirt. Product for professional use. Caution! Do not apply the product on very hot surfaces exposed to the sun and do not leave it to dry. Wear personal protective equipment when using the product. Before using the product, read the label and material safety data sheet of the product.

Ingredients: 5-15% Anionic surfactants and perfumes (Citronellol, Hexyl Cinnamal, Limonene). Keep in a dry, cool place, at temperatures from 5°C to 30°C. Keep away from direct sunlight. Protect against frost. Date of production and batch number-see the packaging. Shelf life: 24 months from the date of production.



www.fenikschemia.pl



FENIKS CAR COSMETICS

HOT EAR
WAX
QUICK DETAILER

SUNRISE CHERRY
WAX
CAR WAX

CRAZY
WASH
PRE- WASH & WASH

KING
SHAMPOO
CAR SHAMPOO

BLACK
INK
TIRE DRESSING

BLACK
INK
TIRE DRESSING CONCENTRATE

TEXXXTIL
UPHOLSTERY CLEANING CONCENTRATE

TEXXXTIL
UPHOLSTERY CLEANING

INSECT
DYNAMITE
ANTYINSECT

GLASS
AE
GLASS CLEANER

HARD
WHEEL
RIM CLEANER

APCE
GENERAL CLEANER

PERFECT
FOAM
ACTIVE FOAM

COCONUT & VANILLA
INTERIOR
DRESSING
INTERIOR DRESSING

COOL
LEATHER
LEATHER QUICK DETAILER



Manufacturer:
FeniksChemia Sp. z o.o.
ul. Produkcyjna 3, 18-300 Zambrów
tel.: +48 86 224 44 44,
kom. +795 410 835,
e-mail: biuro@fenikschemia.pl,
e-mail: g.kaminski@fenikschemia.pl

WWW.FENIKSCHEMIA.PL